


JPC safe working procedure (Covid 19)

Subject: Safe working procedures / Covid 19

Date: 04-5-20, V2

By: Dwaine Henderson



| | |
|---|------------|
| Introduction | p2 |
| Self-Isolation | p3 |
| Procedure if Someone Falls Ill | p4 |
| Travel to Site | p5 |
| Site Access Points | p6 |
| Hand Washing | p7 |
| Toilet Facilities | p8 |
| Canteens and Eating Arrangements | p9 |
| Avoiding Close Working | p10 |
| Cleaning | p11 |
| Signatures of acceptance | p12 |

Introduction

Construction sites operating during the Coronavirus Covid-19 pandemic need to ensure they are protecting their workforce and minimising the risk of spread of infection.

This method statement is intended to introduce consistent measures on our sites in line with the Government's recommendations on social distancing.

The health and safety requirements of any construction activity must also not be compromised at this time. If an activity cannot be undertaken safely due to a lack of suitably qualified personnel being available or social distancing being implemented, it should not take place.

Sites should remind the workforce at every opportunity of this method statement which is aimed at protecting them, their colleagues, their families and the UK population.

Site managers will be required to communicate the below to the workforce, via toolbox talk. The ToolBox talk should be repeated on site *WEEKLY* and recorded, with the document being reviewed with subcontractor input.

All subcontractors and site operatives will be required to read and sign the master copy of this document on return to site, with the master copy stored in the site managers' files.

This document will be reviewed at site inductions.

Individual subcontractors are also expected to take responsibility for ensuring the measures set out are adhered to.

Copies of this document will be displayed on site in visible locations.

Gloves are now a required PPE item for all trades and personnel on site.

Where a trade requires to work within 2m for a specific operation (ie; a heavy lift), the *CLOSE WORKING* permit should be completed by the subcontractor.

The site managers assistant on site will be responsible for carrying out the cleaning and wiping down regime as detailed within this document (p11)

If a site is unable to implement the measures set out below, it may be required to close.

Self-Isolation

Anyone who meets one of the following criteria should not come to site:

- Has a high temperature or a new persistent cough - follow the government guidance on self-isolation
- Is a vulnerable person (by virtue of their age, underlying health condition, clinical condition or are pregnant) as set out in the government guidance
- Is living with someone in self-isolation or a vulnerable person
- We requested that we are notified if any person who has been to site is subsequently required to self-isolate for any reason

Procedure if someone falls ill on site

If a worker develops a high temperature or a persistent cough while at work, they should:

- Report to the site manager that they have symptoms
- Return home immediately
- Avoid touching anything on site
- Any canteen / toilet facilities used by the operative should be cleaned
- Cough or sneeze into a tissue and put it in a bin, or if they do not have tissues, cough and sneeze into the crook of their elbow
- They must then follow the guidance on self-isolation and not return to work until their period of self-isolation has been completed.

Travel to Site

Although it cannot be enforced by JPC, wherever possible workers should travel to site alone using their own transport.

- Where this cannot be adhered to, operatives should space apart as far as is practicable while travelling. Ventilation should be provided in vehicles by means of openable windows. Groups of people sharing vehicles should be kept the same where possible.
- Sites should ensure they have adequate parking facilities for a possible increase in vehicles due to social distancing

Site Access Points

Controls should be introduced at the site access point to minimise social contact and congregation

- Hand cleaning facilities to be provided at the site signing in point. Operatives to use this on signing in / out. This should be soap and water wherever possible or hand sanitiser if water is not available
- Where possible, the site manager will sign operatives in and out of site, to reduce the amount of people needing to enter the site office and handle the communal signing in book.
- Stop all non-essential visitors
- Allow plenty of space (two metres) between people waiting to enter site
- Regularly clean common contact surfaces in offices, toilets, canteens. Door handles especially.
- Reduce the number of people in attendance at site inductions and consider holding them outdoors wherever possible
- Drivers should remain in their vehicles if the load will allow it and must wash or clean their hands before unloading goods and materials.

Hand Washing

Introduce additional handwashing facilities to site

- Provide additional hand washing facilities to the usual welfare facilities if a large spread out site or significant numbers of personnel on site
- Ensure soap and fresh water is readily available and kept topped up at all times
- Provide hand sanitiser where hand washing facilities are unavailable
- Regularly clean the hand washing facilities and check soap and sanitiser levels
- Provide suitable and sufficient rubbish bins for hand towels with regular removal and disposal.

Sites will need extra supplies of soap, hand sanitiser and paper towels and these should be securely stored.

Toilet Facilities

- Restrict the number of people using toilet facilities at any one time. **The site manager will hold the key to the locked toilet facility, the key will need to be requested for access.** This will ensure a 1 in 1 out policy is maintained.
- Wash hands before and after using the facilities
- Enhance the cleaning regimes for toilet facilities particularly door handles, locks and the toilet flush as per other sections above
- Provide suitable and sufficient rubbish bins for hand towels with regular removal and disposal.

Canteens and Eating Arrangements

Whilst a canteen facility must still be provided in order to comply with the appropriate CDM regulations, additional measures must be undertaken as below:

- Operatives are asked to take breaks in their vehicles if possible
- Break times should be staggered to reduce congestion and contact where possible
- Hand cleaning facilities or hand sanitiser should be available at the entrance of any room where people eat and should be used by workers when entering and leaving the area
- Workers should sit 2 metres apart from each other whilst eating and preparing food and avoid contact
- Communal crockery, eating utensils, cups etc. should not be used
- Tables should be cleaned between each use
- All rubbish should be put straight in the bin and not left for someone else to clear up
- All areas used for eating must be thoroughly cleaned at the end of each break and shift, including chairs, door handles etc.

Avoiding Close Working

Workers should observe the government advice of distancing by 2 metres as much as is reasonably practicable.

- **Gloves should be worn by ALL operatives whilst working on site**

If you are not able to work whilst maintaining a two metre distance, you should consider whether the activity should continue and, if so, risk assess it using the hierarchy of controls below and against any sector-specific guidance.

A JPC permit for close working will be available on site, and will be completed at the start of each shift by any subcontractor who needs to work within 2 metres.

| | |
|----------------------|---|
| Eliminate | <ul style="list-style-type: none">• Workers who are unwell with symptoms of Coronavirus (Covid-19) should not travel to or attend the workplace• Rearrange tasks to enable them to be done by one person, or by maintaining social distancing measures (2 metres)• Avoid skin to skin and face to face contact• Stairs should be used in preference to lifts or hoists and consider one ways systems• Consider alternative or additional mechanical aids to reduce worker interface |
| Site Meetings | <ul style="list-style-type: none">• Only absolutely necessary meeting participants should attend• Attendees should be at least two metres apart from each other• Rooms should be well ventilated / windows opened to allow fresh air circulation• Consider holding meetings in open areas where possible |
| Reduce | <p>Where the social distancing measures (2 metres) cannot be applied:</p> <ul style="list-style-type: none">• Minimise the frequency and time workers are within 2 metres of each other• Minimise the number of workers involved in these tasks• Workers should work side by side, or facing away from each other, rather than face to face• Lower the worker capacity of lifts and hoists to reduce congestion and contact at all times• Regularly clean common touchpoints, doors, buttons, handles, vehicle cabs, tools, equipment etc.• Increase ventilation in enclosed spaces• Workers should wash their hands before and after using any equipment |
| Isolate | <p>Keep groups of workers that have to work within 2 metres:</p> <ul style="list-style-type: none">• Together in teams e.g. (do not change workers within teams)• As small as possible• Away from other workers where possible |
| Control | <p>Where face to face working is essential to carry out a task when working within 2 metres:</p> <ul style="list-style-type: none">• Keep this to 15 minutes or less where possible• Consider introducing an enhanced authorisation process for these activities• Provide additional supervision to monitor and manage compliance |
| PPE | <p>Sites should not use RPE for Coronavirus (Covid-19) where the two metre social distancing guidelines are met.</p> |

Cleaning

Enhanced cleaning procedures should be in place across the site, particularly in communal areas and at touch points.

Each site has a JPC operative / assistant on site who can fulfil the cleaning regime as required.

Wiping down should occur at the start, middle, and end of each shift:

- Taps and washing facilities
- Toilet flush and seats
- Door handles and push plates
- Hand rails on staircases and corridors
- Lift and hoist controls
- Machinery and equipment controls (by individual machine operators)
- Food preparation and eating surfaces, kettle handles, microwave handles etc.

RISK AND METHOD STATEMENT ACKNOWLEDGEMENT FORM

All recipient must complete the form below in full to identify that they have both received and understood method statements and risk assessment for their tasks.

[illegible]